

Atmospheric Science Research Priorities for Mars

References

- [1] Rafkin, S.C.R. et al., 2009, The Value of Landed Meteorological Investigations on Mars: The Next Advance for Climate Science, White Paper submitted to NRC Decadal Survey.
- [2] Mumma, M.J., G.L. Villanueva, R.E. Novak, T. Hewagama, B.P. Bonev, M.A. Disanti, A.M. Mandell and M.D. Smith, 2009, Strong release of methane on Mars in northern summer 2003, *Science*, 323, 1041-1045.
- [3] Formisano, V., S. Atreya, Th. Encrenaz, N. Ignatiev and M. Giuranna, 2004, Detection of methane in the atmosphere of Mars, *Science*, 306, 1758-1761.
- [4] Krasnopolsky, V.A., J.-P. Maillard, and T.C. Owen, 2004, Detection of methane in the martian atmosphere: Evidence for life?, *Icarus*, 172, 537-547.
- [5] Nair, H., M. Allen, A.D. Anbar and Y.L. Yung, 1994, A photochemical model of the martian atmosphere, *Icarus*, 111, 124-150.
- [6] Perrier, S. et al., 2006, Global climatology of ozone on Mars from SPICAM/MEX UV measurements, *J. Geophys. Res.*, 111, doi:10.1029/2006JE002681.
- [7] Encrenaz, Th., B. Bézard, T.K. Greathouse, M.J. Richter, J.H. Lacy, S.K. Atreya, A.-S. Wong, S. Lebonnois, F. Lefèvre and F. Forget, 2004, Hydrogen peroxide on Mars: Evidence for spatial and seasonal variations, *Icarus*, 170, 424-429.
- [8] Atreya, S.K., A.-S. Wong, N.O. Renno, W.M. Farrell, G.T. Delory, D.D. Sentman, S.A. Cummer, J.R. Marshall, S.C.R. Rafkin and D.C. Catling, 2006, Oxidant enhancement in martian dust devils and storms: Implications for life and habitability, *Astrobiology*, 6, 439-450.
- [9] Delory, G.T., W.M. Farrell, S.K. Atreya, N.O. Renno, A.-S. Wong, S.A. Cummer, D.D. Sentman, J.R. Marshall, S.C.R. Rafkin and D.C. Catling, 2006, Oxidant enhancement in martian dust devils and storms: Storm electric fields and electron dissociative attachment, *Astrobiology*, 6, 451-462.
- [10] Cantor, B.A., 2007, MOC observations of the 2001 Mars planet-encircling dust storm, *Icarus*, 186, 60-96.
- [11] Haberle, R.M., J.R. Murphy and J. Schaeffer, 2003, Orbital change experiments with a Mars general circulation model, *Icarus*, 161, 66-89.
- [12] Basu, S., M.I. Richardson and R.J. Wilson, 2004, Simulation of the martian dust cycle with the GFDL Mars GCM, *J. Geophys. Res.*, 109, E11006, doi:10.1029/2004JE002243.

- [13] McConnochie, T.H. and M.D. Smith, 2008, Vertically resolved aerosol climatology from Mars Global Surveyor Thermal Emission Spectrometer (MGS-TES) limb sounding, Mars Atmosphere: Modeling and Observations Workshop, Williamsburg, VA.
- [14] Heavens, N.G., M.I. Richardson, D.J. McCleese, A. Kleinböhl and the MCS Science Team, 2008, A new perspective on the vertical distribution of dust in the martian atmosphere in northern summer from Mars Climate Sounder: Zonally averaged profiles, Mars Atmosphere: Modeling and Observations Workshop, Williamsburg, VA.
- [15] Smith, M.D., 2004, Interannual variability in TES atmospheric observations of Mars during 1999-2003, *Icarus*, 167, 148-165.
- [16] Böttger, H.M., S.R. Lewis, P.L. Read and F. Forget, 2005, The effects of the martian regolith on GCM water cycle simulations, *Icarus*, 177, 174-189.
- [17] Smith, M.D., 2008, Spacecraft observations of the martian atmosphere, *Ann. Rev. Earth Planet. Sci.*, 36, 191-219.
- [18] Forget, F., F. Montmessin, J.-L. Bertaux, F. González-Galindo, S. Lebonnois, E. Quémerais, A. Reberac, E. Dimarellis and M.A. López-Valverde, 2009, Density and temperatures of the upper martian atmosphere measured by stellar occultations with Mars Express SPICAM, *J. Geophys. Res.*, 114, E01004, doi:10.1029/2008JE003086.
- [19] McDunn, T., S.W. Bougher, J. Murphy, M.D. Smith, F. Forget, J.-L. Bertaux and F. Montmessin, 2009, Simulating the density and thermal structure of the middle atmosphere (~80-130 km) of Mars using the MGCM-MTGCM: A comparison with MEX-SPICAM observations, *Icarus*, in press.
- [20] McCleese, D.J., et al., 2008, Intense polar temperature inversion in the middle atmosphere on Mars, *Nature Geosci.*, 1, 745-749.
- [21] Angelats i Coll, M., F. Forget, M.A. López-Valverde and F. González-Galindo, 2005, The first Mars thermospheric general circulation model: The martian atmosphere from the ground to 240 km, *Geophys. Res. Lett.*, 32, L04201, doi:10.1029/2004GL021368.
- [22] González-Galindo, F., F. Forget, M.A. López-Valverde, M. Angelats i Coll, E. Millour, 2009, A ground-to-exosphere martian general circulation model: 1. Seasonal, diurnal and solar cycle variation of thermospheric temperatures, *J. Geophys. Res.*, 114, E04001, doi:10.1029/2008JE003246.
- [23] Withers, P. and M.D. Smith, 2006, Atmospheric entry profiles from the Mars Exploration Rovers Spirit and Opportunity, *Icarus*, 185, 133-142.

- [24] Space Studies Board, National Research Council, 2003, *New Frontiers in the Solar System: An Integrated Exploration Strategy*, National Academy Press, Washington, D.C., 248pp.
- [25] Bibring, J.-P. et al., 2006, Global mineralogical and aqueous Mars history derived from OMEGA/Mars Express data, *Science*, 312, 400-404.
- [26] Lewis, S.R., P.L. Read, B.J. Conrath, J.C. Pearl and M.D. Smith, 2007, Assimilation of thermal emission spectrometer atmospheric data during the Mars Global Surveyor aerobraking period, *Icarus*, 192, 327-347.