

References for “The Mars Atmospheric and Polar Science Mission”

- [1] MEPAG (2020), Mars Scientific Goals, Objectives, Investigations, and Priorities: 2020. D. Banfield, ed., 89 p. white paper posted March, 2020 by the Mars Exploration Program Analysis Group (MEPAG) at <https://mepag.jpl.nasa.gov/reports.cfm>.
- [2] Smith, I.B. and co-authors (2020), Solar-System-Wide Significance of Mars Polar Science, a White Paper submitted to the 2023-2032 Planetary Science and Astrobiology Decadal Survey.
- [3] MEPAG ICE-SAG Final Report (2019), Report from the Ice and Climate Evolution Science Analysis group (ICE-SAG), *Chaired by* S. Diniega and N. E. Putzig, 157 pages posted 08 July 2019, by the Mars Exploration Program Analysis Group (MEPAG) at <http://mepag.nasa.gov/reports.cfm>.
- [4] Smith, I.B. et al. (2020), The Holy Grail: A road map for unlocking the climate record stored within Mars’ polar layered deposits, *Planetary and Space Science*, 184, 104841, <https://doi.org/10.1016/j.pss.2020.104841>.
- [5] Phillips, R. J., et al. (2008), Mars north polar deposits: Stratigraphy, age, and geodynamical response, *Science*, 320(5880), 1182–1185, doi:10.1126/science.1157546.
- [6] Putzig, N. E., R. J. Phillips, B. A. Campbell, J. W. Holt, J. J. Plaut, L. M. Carter, A. F. Egan, F. Bernardini, A. Safaeinili, and R. Seu (2009), Subsurface structure of Planum Boreum from Mars Reconnaissance Orbiter Shallow Radar soundings, *Icarus*, 204(2), 443–457, doi:10.1016/j.icarus.2009.07.034.
- [7] Lalich, D. E., and Holt, J. W. (2017), New Martian climate constraints from radar reflectivity within the north polar layered deposits, *Geophys. Res. Lett.*, 44, 657– 664, doi:10.1002/2016GL071323.
- [8] Holt, J.W. et al. (2008), Radar Sounding Evidence of Buried Glaciers in the Southern Mid-Latitudes of Mars, *Science*, 322, 5905, 1235-1238, DOI: 10.1126/science.1164246.
- [9] Plaut, J. J., A. Safaeinili, J. W. Holt, R. J. Phillips, J. W. Head, R. Seu, N. E. Putzig, and A. Frigeri (2009), Radar evidence for ice in lobate debris aprons in the mid-northern latitudes of Mars, *Geophys. Res. Lett.*, 36, L02203, doi:10.1029/2008GL036379.

- [10] Karlsson, NB, Schmidt, LS, and Hvidberg, CS (2015), Volume of Martian midlatitude glaciers from radar observations and ice flow modeling. *Geophys. Res. Lett.*, 42, 2627–2633. doi: 10.1002/2015GL063219.
- [11] Byrne, S., et al. (2009), Distribution of mid-latitude ground ice on Mars from new impact craters, *Science*, 325, 1674–1676.
- [12] Dundas, C. M., Byrne, S., McEwen, A. S., Mellon, M. T., Kennedy, M. R., Daubar, I. J., and Saper, L. (2014), HiRISE observations of new impact craters exposing Martian ground ice, *J. Geophys. Res. Planets*, 119, 109–127, doi:10.1002/2013JE004482.
- [13] Mellon, M. T., et al. (2009), Ground ice at the Phoenix Landing Site: Stability state and origin, *J. Geophys. Res.*, 114, E00E07, doi:10.1029/2009JE003417.
- [15] Guzewich, S.D. and co-authors (2020), Measuring Mars Atmospheric Winds from Orbit, a White Paper submitted to the 2023-2032 Planetary Science and Astrobiology Decadal Survey.
- [16] Martínez, G. M., et al. (2017), "The modern near-surface Martian climate: A review of in-situ meteorological data from Viking to Curiosity." *Space Science Reviews* 212.1-2: 295-338.
- [17] Benna M, Bougher SW, Lee Y, et al. (2019), Global circulation of Mars' upper atmosphere. *Science*, 366(6471):1363-1366. doi:10.1126/science.aax1553
- [18] Stillman, D.E, B.D. Bue, K.L. Wagstaff, K.M. Primm, T.I. Michaels, R.E.Grimm (2020), Evaluation of wet and dry Recurring Slope Lineae (RSL) formation mechanisms based on quantitative mapping of RSL in Garni Crater, Valles Marineris, Mars *Icarus*, 335, 10.1016/j.icarus.2019.113420.
- [19] Huber, C., Ojha, L., Lark, L., & Head, J. W.(2020). Physical models and predictions for recurring slope lineae formed by wet and dry processes. *Icarus*, 335, 113385. <https://doi.org/10.1016/j.icarus.2019.07.019>
- [20] Dundas, C. M. (2020). An aeolian grainflow model for Martian recurring slope Lineae. *Icarus*, 343, 113681. <https://doi.org/10.1016/j.icarus.2020.113681>.
- [21] Gough, R. V., Nuding, D. L., Archer, P. D., Fernanders, M. S., Guzewich, S. D., Tolbert, M. A., & Toigo, A. D. (2020). Changes in soil cohesion due to water vapor exchange: A proposed dry-flow trigger mechanism for recurring slope lineae on Mars. *Geophysical Research Letters*, 47, e2020GL087618. <https://doi.org/10.1029/2020GL087618>.

[22] National Research Council (2011), *Vision and Voyages for Planetary Science in the Decade 2013-2022*. Washington, DC: The National Academies Press. <https://doi.org/10.17226/13117>.

[23] MEPAG ICE-SAG Final Report (2019), Report from the Ice and Climate Evolution Science Analysis group (ICE-SAG), *Chaired by S. Diniega and N. E. Putzig*, 157 pages posted 08 July 2019, by the Mars Exploration Program Analysis Group (MEPAG) at <http://mepag.nasa.gov/reports.cfm>.

[24] P-SAG (2012), Analysis of Strategic Knowledge Gaps Associated with Potential Human Missions to the Martian System: Final report of the Precursor Strategy Analysis Group (P-SAG), D.W. Beaty and M.H. Carr (co-chairs) + 25 co-authors, sponsored by MEPAG/SBAG, 72 pp., posted July 2012, by the Mars Exploration Program Analysis Group (MEPAG) at <http://mepag.jpl.nasa.gov/reports/>.

[25] Cremons, D.R., Abshire, J.B., Sun, X. *et al.* (2020). Design of a direct-detection wind and aerosol lidar for mars orbit. *CEAS Space J* **12**, 149–162, <https://doi.org/10.1007/s12567-020-00301-z>.

[26] R. Rincon *et al.* (2019), "Space Exploration Synthetic Aperture Radar (SESAR)," *IGARSS 2019 - 2019 IEEE International Geoscience and Remote Sensing Symposium*, Yokohama, Japan, 2019, pp. 8320-8323, doi: 10.1109/IGARSS.2019.8900066.